

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/687,454	10/16/2003	Daniel Scott Homa	073103-1	8739
7590 09/13/2006		EXAMINER		
Wendy W. Koba			DEHGHAN, QUEENIE S	
P.O. Box 556 Springtown, PA 18081			ART UNIT	PAPER NUMBER
			1731	
			DATE MAILED: 09/13/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

1
4
ひ

	Application No.	Applicant(s)				
0.55	10/687,454	HOMA, DANIEL SCOTT				
Office Action Summary	Examiner	Art Unit				
	Queenie Dehghan	1731				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 16 Oc	Responsive to communication(s) filed on <u>16 October 2003</u> .					
2a) ☐ This action is <b>FINAL</b> . 2b) ☒ This	☐ This action is <b>FINAL</b> . 2b) ☐ This action is non-final.					
3) Since this application is in condition for allowar	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-20</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-20</u> is/are rejected.						
7)⊠ Claim(s) <u>7</u> is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on 11 February 2004 is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau	application from the International Bureau (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)	_					
1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)  Paper No(s)/Mail Date						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08)	5) Notice of Informal P					
Paper No(s)/Mail Date	6) Other:					

Application/Control Number: 10/687,454 Page 2

Art Unit: 1731

#### **DETAILED ACTION**

#### Claim Objections

1. Claim 7 is objected to because of the following informalities: the group consisting is missing a conclusive "and" after Pb. Appropriate correction is required.

### Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 3. Claim 1 is rejected under 35 U.S.C. 102(e) as being anticipated by Antos et al. (2002/0150365). Regarding claims 1, 6 and 7, Antos et al. disclose a process for making an optical preform comprising, providing an optical preform tube, depositing a porous unsintered soot layer comprising SiO<sub>2</sub> and GeO<sub>2</sub> ([0016]) within the inner surface of the tube ([0022]), exposing the soot layer to a flow of metal halide in an ambient that does not include oxygen for a period of time sufficient to significantly reduce the presence of oxygen defects in the soot layer ([0007], [0008], [0018], [0034], [0043]), sintering the metal halide treated soot layer in an ambient that does not include oxygen to form a glass layer ([0017], [0030], [0033]), and collapsing the sintered preform tube to form a solid core optical fiber preform ([0017]).

Application/Control Number: 10/687,454 Page 3

Art Unit: 1731

4. Regarding claim 2, Antos et al. further disclose depositing a clad silica layer as well as a core layer ([0022]).

- 5. Regarding claims 3 and 4, Antos et al. disclose the option of depositing a cladding layer comprised of a depressed index component such as fluorine ([0015]).
- 6. Regarding claims 10 and 11, Antos et al. disclose possible metal halides as GeCl<sub>4</sub> or SiCl<sub>4</sub> ([0019]).
- 7. Regarding claim 12, Antos et al. disclose performing the metal halide treatment for a time period at least 10 minutes to at most 10 hours ([0018]).
- 8. Regarding claim 14, Antos et al. disclose performing the metal halide treatment at a temperature range of 1000°C to 1150°C ([0018]).

## Claim Rejections - 35 USC § 103

- 9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 10. Claims 5, 8, and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Antos et al. (2002/0150365), as applied to claim 1 above, in view of Zhang et al. (6,532,774). Antos et al. fail to disclose a soot deposition temperature. Zhang et al. teach of an example of MCVD where soot is deposited at a lower temperature of 1650°C (col. 24 lines 60-62). It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the deposition temperature of Zhang et

Application/Control Number: 10/687,454

Art Unit: 1731

al. in the process of Antos et al. because higher temperatures may result in partial sintering of the soot deposited.

Page 4

- 11. Claims 13 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Antos et al. (2002/0150365), as applied to claim 1 above, in view of Ishikawa et al. (English Abstract of JP 02180729). Antos et al. disclose performing the metal halide treatment in the presence of ambient containing He ([0043]), but do not mention using an ambient of He and  $N_2$  for either the metal halide treatment or sintering steps. Ishikawa et al. teach treating a soot preform with a metal halide in the ambient of He and  $N_2$  as well a sintering in an ambient of He and  $N_2$ . It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the ambient of He and  $N_2$  of Ishikawa et al. in the process of Antos et al. as a viable alternative to prevent the introduction of oxygen into the preform during treatment and sintering.
- 12. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Antos et al. (2002/0150365), as applied to claim 1 above, in view of Homa (2003/0213268). Antos et al. fail to disclose a sintering temperature of approximately 2200°C. Homa teach sintering a MCVD preform at a temperature of 2100°C ([0034]). 2100°C is interpreted to be approximately 2200°C (±10%). It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the sintering temperature of Homa in the process of Antos et al. to ensure complete sintering.
- 13. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Antos et al. (2002/0150365), as applied to claim 1 above, in view of Oh et al. (6,053,013). Antos et al. fail to disclose collapsing in an atmosphere of Cl<sub>2</sub> and/or He. Oh et al. teach a

Art Unit: 1731

MCVD process where the preform tube is collapsed while supplying Cl<sub>2</sub> and He. It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the ambient of Cl<sub>2</sub> and He of Oh et al. in the collapsing step of Antos et al. to prevent contamination at the high temperatures of collapsing tubes.

- 14. Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Antos et al. (2002/0150365), as applied to claim 1 above, in view of Sakar (4,310,340). Antos et al. fail to suggest a temperature for the collapsing step. Sakar teaches collapsing a MCVD preform tube at a temperature of 2200°C. It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the high collapsing temperature of Sakar in the collapsing step of Antos et al. in order for silica tubes to collapse, as taught by Sakar.
- 15. Claims 19 and 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Antos et al. (2002/0150365) in view of Ishikawa et al. (English Abstract of JP 02180729), Araujo et al. (5,735,921), and Herron et al. (4,627,160). Antos et al. disclose a process for making an optical preform comprising, providing an optical preform tube, depositing a porous unsintered soot layer comprising SiO<sub>2</sub> and GeO<sub>2</sub> ([0016]) within the inner surface of the tube ([0022]), exposing the soot layer to a flow of metal halide in an ambient that does not include oxygen for a period of time sufficient to significantly reduce the presence of oxygen defects in the soot layer ([0007], [0008], [0018], [0034], [0043]), sintering the metal halide treated soot layer in an ambient to form a glass layer ([0017], [0030], [0033]), and collapsing the sintered preform tube to form a solid core optical fiber preform ([0017]). Antos et al. further disclose depositing a

Page 6

Art Unit: 1731

clad silica layer as well as a core layer ([0022]). However, Antos et al. fail to disclose sintering in an environment of SiCl<sub>4</sub>, He, and H<sub>2</sub>. Ishikawa et al. teach sintering in ambient of SiCl<sub>4</sub>, He and N<sub>2</sub>. Furthermore, Arjaujo et al. teach the use of Helium and H<sub>2</sub> in the consolidation of optical performs (col.7 lines 2-3). Herron et al. also teach a sintering process that is typically done in either N<sub>2</sub> or H<sub>2</sub>. It would have been obvious to one of ordinary skill in the art at the time the invention was made to use N<sub>2</sub> or H<sub>2</sub> interchangeably in the consolidation step comprising SiCl<sub>4</sub>, He of Ishikawa et al., as taught by the examples of Arjaujo et al. and Herron et al. due to the their ability to create a reducing atmosphere. Additionally, it would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the ambient of SiCl<sub>4</sub>, He and N<sub>2</sub> of Ishikawa et al. and H<sub>2</sub> of Araujo et al. and Herron et al. in the process of Antos et al. as a viable alternative to prevent the introduction of oxygen into the preform during treatment and sintering.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Queenie Dehghan whose telephone number is (571)272-8209. The examiner can normally be reached on Monday through Friday 8:30am - 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steven Griffin can be reached on 571-272-1189. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/687,454 Page 7

Art Unit: 1731

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Q Dehghan

PRIMARY EXAMINER